

High-purity gas bursting discs

Benefits

- Individual product specification for material, pressure and dimension
- Maximum leak-tightness, absence of particles and minimum leak rates
- Space-saving installation
- The VCR® screw coupling remains undamaged after bursting



Description

Berstscheiben Schlesinger developed high-purity gas bursting for VCR® systems, particularly for satisfying the highest requirements regarding leak-tightness, cleanliness and resilience. We offer our customers standard versions of highpurity gas bursting discs in the form of rupture discs or scored reverse buckling bursting discs. Our high-purity gas bursting discs are completely made of metal and are produced without the use of polymers. They are particularly known for their vacuum resistance and vacuum tightness.

Function

High-purity gas bursting discs are, for example, used in gas cabinets. The bursting disc reliably bursts when excessive overpressure is generated during the gas-mixing process and safely releases the overpressure.

Only the bursting disc without the screw coupling must be exchanged after bursting.

Installation

High-purity gas bursting discs are installed in VCR® screw couplings instead of sealing discs.



Technical data

General remarks		
Configuration	domed, scored, fragment-free opening	
Media	gas, steam, liquid (gas cushion is required)	
Temperature range	-80°C to +450°C	
Tolerance of burst pressure	±10% (±5% on request)	
leak rates	<10E-9 mbar x L/sec	

Materials	
Stainless steel	standard application
Nickel	for lowest pressures
Inconel*	for high temperatures
Hastelloy*	esp. corrosion-resistant

Special materials on request

Minimum bursting pressure in barg at 20 °C			Free cross- section[mm ²]
NPS	Nickel	Stainless steel	excessive pressure
1/4"	10	25	17
1/2"	5	20	23
3/4"	3	10	143
1"	2	5	283

Special materials on request

Dimensions	
Bursting disc	VCR® coupling
12,5 mm	¼ inch
20 mm	½ inch
35 mm	1 inch

VCR - TM Swagelok Company

Certifications
CE marking according to Directive 2014/68 EU
QM-system according to ISO 9001:2015

Berstscheiben Schlesinger GmbH Gewerbering 20 58579 Schalksmühle Germany Phone: +49 (0) 2355/9271-0 Fax: +49 (0) 2355/401229 E-Mail: info@schlesinger-gmbh.de Web: www.schlesinger-gmbh.de



^{*}Inconel and Hastelloy are registered trade names